0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022 Printed on 27/01/2022

Page n. 1/18

Replaced revision:5 (Dated: 30/11/2021)

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 0030641

Product name **TOGLIRUGGINE LIQUIDO** Chemical name and synonym **TOGLIRUGGINE LIQUIDO**

1.2. Relevant identified uses of the substance or mixture and uses advised against

Sector of use: SU22 - Professional use SU21 - Consumer use

PC35 - Washing and cleaning products (including solvent based products) Category of product:

Rust removal cleaner. Water solution. Intended use.

1.3. Details of the supplier of the safety data sheet

MARBEC S.R.L. Name VIA CROCE ROSSA 5/i Full address 51037 MONTALE (PISTOIA) District and Country

ITALIA

Tel. +039 0573/959848

Fax

e-mail address of the competent person responsible for the Safety Data Sheet

Supplier: info@marbec.it

1.4. Emergency telephone number

MARBEC srl For urgent inquiries refer to

+390573959848 H8.30-13 h14-18 or +39334/8578502 Number of Poison Centers active 24/24 hours

IRCSS Fondazione Maugeri -Pavia 0039-0382-24444 CAV Ospedali Riuniti -Bergamo 0039-800-883300 CAV Niguarda Hospital Ca` Granda -

Milan 0039-02-66101029

CAV Hospital Careggi- Florence 0039-055-7947819

CAV Policlinico Gemelli -Rome 0039-06-3054343 CAV Policlinico Umberto I -Rome 0039-06 49978000 CAV Hospital Cardarelli -Naples 0039-081 5453333

CAV Azienda Ospedaliera Integrata Verona - Verona 800011858

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 2/18

Replaced revision:5 (Dated: 30/11/2021)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Acute toxicity, category 4 H302 Harmful if swallowed.

Eye irritation, category 2 H319 Causes serious eye irritation.

Skin sensitization, category 1 H317 May cause an allergic skin reaction.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words: Warning

Hazard statements:

H302 Harmful if swallowed.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

Precautionary statements:

P280 Wear protective gloves / eye protection / face protection.
P261 Avoid breathing dust / fume / gas / mist / vapours / spray.
P333+P313 If skin irritation or rash occurs: Get medical advice / attention.
P337+P313 If eye irritation persists: Get medical advice / attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Contains:

ammonium mercaptoacetate, ammonium carbamate, ammonium bicarbonate

Ingredients compliant with Regulation (EC) No. 648/2004

Non-ionic surfactants <1%

2.3. Other hazards

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 3/18

Replaced revision:5 (Dated: 30/11/2021)

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
ammonium mercaptoacetate		
CAS. 5421-46-5	9≤x< 15	Met. Corr. 1 H290, Acute Tox. 3 H301, Skin Sens. 1 H317 LD50 Oral: >50 mg/kg
EC. 226-540-9		
INDEX. –		
PROPAN-2-OL		
CAS. 67-63-0	1 ≤ x < 3	Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336
EC. 200-661-7 INDEX 603-117-00-0 Reg. REACH 01-2119457558-25- xxxx		

Ammonium carbonate

CAS 1066-33-7 1 ≤ x < 3 Acute Tox. 4 H302 LD50 Orale: 1576

CE 213-911-5

INDEX -

Nr. Reg. 01-2119486970-26

Ammonium carbamate

CAS 1111-78-0 $1 \le x < 3$ Acute Tox. 4 H302, Eye Dam. 1 H318 LD50 Oral: >1000

CE 214-185-2

INDEX -

Nr. Reg. 01-2119493982-22

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention immediately. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention immediately.

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 4/18

Replaced revision:5 (Dated: 30/11/2021)

INGESTION: Get medical advice/attention immediately. Do not induce vomiting. Do not administer anything not explicitly authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT
Choose the most appropriate extinguishing equipment for the specific case.
UNSUITABLE EXTINGUISHING EQUIPMENT
None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Inhalation of decomposition products may cause damage to health. In the event of a fire, the following is released: Carbon monoxide Sulfur oxides (SOx) Nitrogen oxides (NOx)

5.3. Advice for firefighters

Use appropriate respiratory equipment.

Collect the contaminated water used to extinguish the fire separately. Do not discharge it into the sewage system.

If it is feasible from a safety point of view, move undamaged containers from the immediate danger area.

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 5/18

Replaced revision:5 (Dated: 30/11/2021)

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):

12

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DFU Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. Deutschland

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

Arbeitsstoffe, Mitteilung 56

ESP Límites de exposición profesional para agentes químicos en España 2021 España

Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS FRA France **GBR**

United Kingdom EH40/2005 Workplace exposure limits (Fourth Edition 2020)

TLV-ACGIH

Predicted no-effect concentration - PNEC			
Normal value in marine water	0,0038	mg/l	
Normal value for fresh water sediment	0.038	ma/l	

Health - Derived no-effect level - DNEL / DMEL

	consumers				workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Skin							0,004	2,06 mg/kg/d

mg/cm2

PROPAN-2-OL

Threshold Limit Value							
Type	Country	TWA/8h		STEL/15min		Remarks /	
						Observations	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	500	200	1000	400		
MAK	DEU	500	200	1000	400		

		MARBEC S	S.R.L.				tevision nr. 6	
							Pated 27/01/2022	
	0030641 -	TOGLIRUG	GINE LIQ	UIDO			rinted on 27/01/2022 rage n. 6/18	
							age II. 6/16 Replaced revision:5 (Date	ed: 30/11/2021)
							(
VLA	ESP	500	200	1000	400			
VLEP	FRA			980	400			
WEL	GBR	999	400	1250	500			
TLV-ACGIH	OBIC	492	200	983	400			
		492	200	963	400			
Predicted no-effect concentr	ation - PNEC			440.0		7		
Normal value in fresh water				140,9	mg/			
Normal value in marine wate				140,9	mg/			
Normal value for fresh water				552	mg/			
Normal value for marine wat	er sediment			552	mg/	/kg		
Normal value for the terrestr	ial compartment			28	mg/	/kg		
Health - Derived no-effe	ect level - DNEL / D Effects on	MEL			Effects on			
Davida af a	consumers	And	Oh : 1 :	Oh '	workers	A - :		Oh.
Route of exposure Oral	Acute local	Acute systemic	Chronic local	Chronic systemic 26 mg/kg/d	Acute local	Acute systemic	Chronic local	Chronic systemic
nhalation				89 mg/kg				500 mg/m3
Skin				319 mg/kg/d				888 mg/kg/
AMMONIUM BICARBOI Predicted no-effect concentr						9		
Normal value in fresh water				0,37	mg/	/I		
				0,037	mg/			
Normal value for fresh water	rsediment			0,1332	mg/	/kg		
Normal value for fresh water Normal value for marine wat	r sediment er sediment			0,1332 0,01332		/kg		
Normal value for fresh water Normal value for marine wat Normal value for water, inter	r sediment eer sediment rmittent release			0,1332 0,01332 0,63	mg/	/kg /kg		
Normal value for fresh water Normal value for marine wat Normal value for water, inter	r sediment eer sediment rmittent release			0,1332 0,01332 0,63 1347	mg/	/kg /kg /I		
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr	r sediment er sediment rmittent release erganisms ial compartment			0,1332 0,01332 0,63	mg/ mg/	/kg /kg /I		
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr	r sediment er sediment rmittent release organisms ial compartment	DMEL		0,1332 0,01332 0,63 1347	mg/ mg/ mg/ mg/	/kg /kg /I		
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effor	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / E effects on	DMEL Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9	mg, mg, mg, mg,	/kg //kg /I /I /I Acute	Chronic local	Chronic
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effor Route of exposure	r sediment ter sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers		Chronic local	0,1332 0,01332 0,63 1347 74,9	mg/ mg/ mg/ mg/	/kg /kg /I /I /kg		Chronic systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation	r sediment ter sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9	mg/ mg/ mg/ mg/	/kg /kg /I /I /kg Acute systemic		systemic
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers Acute local	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3	mg/ mg/ mg/ mg/	/kg /kg /I /I /kg Acute systemic		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effor Route of exposure Inhalation Skin mmonium carbamate Predicted no-effect concentr	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers Acute local	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d	mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/m	/kg /kg /I /I /kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin mmonium carbamate Predicted no-effect concentr Normal value in fresh water	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers Acute local	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d	mg/ mg/ mg/ mg/ mg/ mg/ mg/ and mg/	/kg /kg /I /I /kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effe Route of exposure Inhalation Skin Immonium carbamate Predicted no-effect concentr Normal value in fresh water	r sediment er sediment er sediment ermittent release erganisms ial compartment ect level - DNEL / D Effects on consumers Acute local	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037	mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/mg/m	/kg /kg /l /l /l Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin mmonium carbamate Predicted no-effect concentr Normal value in fresh water Normal value in marine water	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers Acute local eration - PNEC	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037 0,167	mg,	/kg /kg /l /kg /l /kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin mmonium carbamate Predicted no-effect concentr Normal value in fresh water Normal value in marine wate Normal value for fresh water	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / E Effects on consumers Acute local ration - PNEC	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037 0,167 0,0167	mg,	/kg /kg /l /l /l /kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin mmonium carbamate Predicted no-effect concentr Normal value in fresh water Normal value in marine wate Normal value for fresh water Normal value for marine wate Normal value for marine wate	r sediment er sediment rmittent release organisms ial compartment ect level - DNEL / C Effects on consumers Acute local ration - PNEC er er sediment er sediment ermittent release	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037 0,167 0,0167 0,37	mg,	/kg /kg /kg /I /I /I /Kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin Immonium carbamate Predicted no-effect concentr Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo	r sediment rer sediment remittent release reganisms rial compartment rect level - DNEL / E	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037 0,0167 0,0167 0,37 10	mg,	/kg /kg /kg /I /I /I /Kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin Immonium carbamate Predicted no-effect concentr Normal value in fresh water Normal value in marine water Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP microo	r sediment rer sediment remittent release reganisms rial compartment rect level - DNEL / E	Acute systemic	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037 0,167 0,0167 0,37	mg,	/kg /kg /kg /I /I /I /kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3
Normal value in marine water Normal value for fresh water Normal value for marine water Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet Route of exposure Inhalation Skin Immonium carbamate Predicted no-effect concentr Normal value in fresh water Normal value for fresh water Normal value for fresh water Normal value for water, inter Normal value of STP microo Normal value for the terrestr Health - Derived no-effet	r sediment er sediment er sediment rmittent release organisms ial compartment ect level - DNEL / L Effects on consumers Acute local ration - PNEC er r sediment er sediment rmittent release organisms ial compartment	Acute systemic 143,91 mg/m3	Chronic local	0,1332 0,01332 0,63 1347 74,9 Chronic systemic 13,33 mg/m3 34,2 mg/kg/d 0,037 0,0037 0,0167 0,0167 0,37 10	mg,	/kg /kg /kg /I /I /I /kg Acute systemic 160,7 mg/		systemic 62,5 mg/m3

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 7/18

Replaced revision:5 (Dated: 30/11/2021)

	systemic	systemic	systemic
Inhalation	12,3 mg/m3		49,8 mg/m3
Skin	7,1 mg/kg/d		14,1 mg/kg/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

AMMONIUM BICARBONATE

Components with limit values to be respected in the workplace.

124-38-9: carbon dioxide

TWA value 9,000 mg / m3; 5,000 ppm (OUL (EU)) indicative

TWA value 9,000 mg / m3; 5,000 ppm (OEL (IT))

7664-41-7: anhydrous ammonia

TWA value 14 mg / m3; 20 ppm (OEL (EU)) indicative

STEL value 36 mg / m3; 50 ppm (OEL (EU)) indicative

TWA value 14 mg/m3; 20 ppm (OEL (IT))

STEL value 36 mg / m3; 50 ppm (OEL (IT))

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022 Printed on 27/01/2022

Page n. 8/18

Replaced revision:5 (Dated: 30/11/2021)

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Information

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance	liquid
Colour	violet
Odour	characteristic
Melting point / freezing point	Not available
Initial boiling point	Not available
Flammability	incombustible
Lower explosive limit	Not applicable
Upper explosive limit	Not applicable
Flash point	> 90 °C
Auto-ignition temperature	Not available
рН	8 - 9
Kinematic viscosity	Not available
Solubility	soluble in water
Partition coefficient: n-octanol/water	Not available
Vapour pressure	Not available
Density and/or relative density	1,05 kg/l
Relative vapour density	Not available
Particle characteristics	Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 3,00 % - 24,00 g/litre VOC (volatile carbon) 1,80 % - 18,87 g/litre

Explosive properties non-explosive
Oxidising properties non-oxidizing

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

Revision nr. 6 MARBEC S.R.L. Dated 27/01/2022 Printed on 27/01/2022 0030641 - TOGLIRUGGINE LIQUIDO Page n. 9/18 Replaced revision:5 (Dated: 30/11/2021) The product is stable in normal conditions of use and storage. 10.3. Possibility of hazardous reactions Unusual reactions are not expected under normal use and storage conditions. 10.4. Conditions to avoid None in particular. However, follow the usual precautions with regard to chemicals. 10.5. Incompatible materials Information not available 10.6. Hazardous decomposition products In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released. **SECTION 11. Toxicological information** 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Metabolism, toxicokinetics, mechanism of action and other information Information not available Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects

Information not available

ACUTE TOXICITY

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 10/18

Replaced revision:5 (Dated: 30/11/2021)

ATE (Inhalation) of the mixture: Not classified (no significant component)

ATE (Oral) of the mixture: 331,79 mg/kg

ATE (Dermal) of the mixture: Not classified (no significant component)

Ammonium mercaptoacetate

LD50 (Dermal): > 2000 mg/kg rat LD50 (Oral): > 50 mg/kg rat

PROPAN-2-OL

 LD50 (Dermal):
 12800 mg/kg Rat

 LD50 (Oral):
 4710 mg/kg Rat

 LC50 (Inhalation vapours):
 72,6 mg/l/4h Rat

AMMONIUM BICARBONATE

LD50 (Oral): 1576 mg/kg Rat

Ammonium carbamate

LD50 (Oral): > 1000 mg/kg rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

AMMONIUM BICARBONATE

Assessment of the irritating effect: not irritating to the skin. The product has not been fully tested. The claims were derived in part from products of similar structure or composition.

Ammonium carbamate
Not irritating to the skin

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

AMMONIUM BICARBONATE

Assessment of the irritating effect: not irritating to the eyes. The product has not been fully tested. The claims were derived in part from products of similar structure or composition.

Ammonium carbamate

Risk of serious damage to eyes

RESPIRATORY OR SKIN SENSITISATION

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 11/18

Replaced revision:5 (Dated: 30/11/2021)

Sensitising for the skin

AMMONIUM BICARBONATE

Assessment of the sensitizing effect: the chemical composition does not suggest a sensitizing effect.

Respiratory sensitization

The chemical composition does not suggest a sensitizing effect

Skin sensitization

Ammonium carbamate

The chemical composition does not suggest a sensitizing effect

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

AMMONIUM BICARBONATE

The substance was not mutagenic on bacteria. The substance was not mutagenic to a mammalian cell culture.

Ammonium carbamate

Mutagenicity tests did not reveal a genotoxic potential. The product has not been fully tested and claims have been derived in part from products of similar structure or composition.

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

AMMONIUM BICARBONATE

All available information does not provide any indication of a possible carcinogenic effect. The product has not been tested. The indications were derived from substances / products of similar composition or structure.

Ammonium carbamate

It did not show carcinogenic effects in experimental animals. The product has not been tested. The claims were derived in part from products of similar structure or composition.

Revision nr. 6 MARBEC S.R.L. Dated 27/01/2022 0030641 - TOGLIRUGGINE LIQUIDO Printed on 27/01/2022

		Page n. 12/18 Replaced revision:5 (Dated: 30/11/2021)
-	REPRODUCTIVE TOXICITY	
	Does not meet the classification criteria for this hazard class	
	AMMONIUM BICARBONATE Scientifically not justified study	
	Ammonium carbamate Scientifically not justified study	
	Adverse effects on sexual function and fertility	
	Information not available	
	Adverse effects on development of the offspring	
	Information not available	
	Effects on or via lactation	
	Information not available	
	STOT - SINGLE EXPOSURE	
	Does not meet the classification criteria for this hazard class	
	Target organs	
	Information not available	
	Route of exposure	
	Information not available	
	STOT - REPEATED EXPOSURE	

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022
Printed on 27/01/2022

Page n. 13/18

Replaced revision:5 (Dated: 30/11/2021)

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

PROPAN-2-OL

LC50 - for Fish > 100 mg/l/96h leuciscus idus melanotus, static

EC50 - for Crustacea > 100 mg/l/48h dafnia magna static test

 ${\sf EC50 - for\ Algae\ /\ Aquatic\ Plants} \qquad \qquad > 100\ mg/l/72h\ scene desmus\ subspicatus.\ static\ test$

Ammonium carbamate

LC50 - for Fish 37 mg/l/96h Pimephales promelas EC50 - for Crustacea 63 mg/l/48h - Daphnia magna

EC50 - for Algae / Aquatic Plants 129,1 mg/l/72h Desmodesmus subspicatus (Scenedesmus subspicatus)

Ammonium mercaptoacetate

 LC50 - for Fish
 880 mg/l/96h

 EC50 - for Crustacea
 > 38 mg/l/48h

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 14/18

Replaced revision:5 (Dated: 30/11/2021)

EC50 - for Algae / Aquatic Plants

> 13 mg/l/72h

12.2. Persistence and degradability

AMMONIUM BICARBONATE

Solubility in water 220000 mg/l

Degradability: information not available

PROPAN-2-OL Rapidly degradable

Ammonium carbamate

Degradability: information not available

Ammonium mercaptoacetate NOT rapidly degradable

12.3. Bioaccumulative potential

AMMONIUM BICARBONATE

Partition coefficient: n-octanol/water -2,4

PROPAN-2-OL

Partition coefficient: n-octanol/water 0,05

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

MARBEC S.R.L. Dated 27/01/2022 Printed on 27/01/2022 0030641 - TOGLIRUGGINE LIQUIDO Page n. 15/18 Replaced revision:5 (Dated: 30/11/2021) 13.1. Waste treatment methods Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations. **SECTION 14. Transport information** The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations. 14.1. UN number or ID number Not applicable 14.2. UN proper shipping name Not applicable 14.3. Transport hazard class(es) Not applicable 14.4. Packing group Not applicable

14.5. Environmental hazards

14.6. Special precautions for user

Not applicable

Not applicable

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 16/18

Replaced revision:5 (Dated: 30/11/2021)

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point

3 - 40

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been developed for the following substances in the mixture: Ammonium mercaptoacetate, 2-propanol.

SECTION 16. Other information

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 17/18

Replaced revision:5 (Dated: 30/11/2021)

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2

Met. Corr. 1 Substance or mixture corrosive to metals, category 1

Acute Tox. 3 Acute toxicity, category 3
Acute Tox. 4 Acute toxicity, category 4

Eye Dam. 1 Serious eye damage, category 1

Eye Irrit. 2 Eye irritation, category 2
Skin Sens. 1 Skin sensitization, category 1

STOT SE 3 Specific target organ toxicity - single exposure, category 3

H225 Highly flammable liquid and vapour.

H290 May be corrosive to metals.

H301 Toxic if swallowed.H302 Harmful if swallowed.

H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.
H336 May cause drowsiness or dizziness.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)

0030641 - TOGLIRUGGINE LIQUIDO

Revision nr. 6

Dated 27/01/2022

Printed on 27/01/2022

Page n. 18/18

Replaced revision:5 (Dated: 30/11/2021)

- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EÚ) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. 10th Edition
 Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified:

01 / 02 / 03 / 09 / 11 / 12 / 13 / 14 / 15 / 16.