

**MARBEC S.R.L.**

Revision nr. 8

Dated 11/01/2023

**0030200 - UNIPUL**

Printed on 11/01/2023

Page n. 1/18

Replaced revision:6 (Dated: 30/10/2020)

## Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Code: 0030200  
Product name: UNIPUL  
Chemical name and synonym: UNIPUL

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against.

Sector of use: SU22 – Professional uses SU21 – Consumer uses

Category of use: PC35 - Washing and Cleaning Products (including solvent based products)

Intended use: All purpose cleaner

#### 1.3. Details of the supplier of the safety data sheet

Name: MARBEC S.R.L.  
Full address: VIA CROCE ROSSA 5/i  
District and Country: 51037 MONTALE (PISTOIA)  
ITALIA  
Tel. +039 0573/959848

e-mail address of the competent person

responsible for the Safety Data Sheet

Supplier: info@marbec.it

#### 1.4. Emergency telephone number

For urgent inquiries refer to

MARBEC srl  
+390573959848 h8.30-13 h14-18 or +393348578502  
Number of Poison Centers active 24/24 hours IRCSS Fondazione Maugeri –  
Pavia 0039-0382-24444  
CAV Ospedali Riuniti –  
Bergamo 0039-800-883300  
CAV Ospedale Niguarda Ca' Granda –  
Milano 0039-02-66101029  
CAV Ospedale Careggi- Firenze 0039-055-7947819  
CAV Policlinico Gemelli –  
Roma 0039-06-3054343  
CAV Policlinico Umberto I –  
Roma 0039-06 49978000  
CAV Ospedale Cardarelli –  
Napoli 0039-081 5453333  
CAV Azienda Ospedaliera Integrata Verona - Verona 800011858

## SECTION 2. Hazards identification

### 2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Eye irritation, category 2

H319

Causes serious eye irritation.

Skin irritation, category 2

H315

Causes skin irritation.

### 2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:



Signal words:

Warning

Hazard statements:

H319

Causes serious eye irritation.

H315

Causes skin irritation.

Precautionary statements:

P280

Wear protective gloves / eye protection / face protection.

P337+P313

If eye irritation persists: Get medical advice / attention.

P302+P352

IF ON SKIN: Wash with plenty of water / . . .

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313

If skin irritation occurs: Get medical advice / attention.

### Ingredients compliant with Regulation (EC) No. 648/2004

Non-ionic surfactants <5%, perfume (D-Limonene, Linalool, Hexil cinnamal).

Product not intended for uses provided for by Directive 2004/42/EC.

### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration  $\geq$  0.1%.

**SECTION 3. Composition/information on ingredients****3.2. Mixtures**

Contains:

Identification	Conc. %	Classification (EC) 1272/2008 (CLP)
<b>DIPROPYLENE GLYCOL MONOMETHYL ETHER</b>		
CAS 34590-94-8	$1 \leq x < 5$	Substance with a community workplace exposure limit.
EC 252-104-2		
INDEX -		
REACH Reg. 01-2119450011-60-xxxx		
<b>3-BUTOXY-2-PROPANOL</b>		
CAS 5131-66-8	$2 \leq x < 3,5$	Flam. Liq. 3 H226, Eye Irrit. 2 H319, Skin Irrit. 2 H315
EC 225-878-4		
INDEX 603-052-00-8		
REACH Reg. 01-2119475527-28-xxxx		
<b>3-methoxy-3-methyl-1-butanol</b>		
CAS 56539-66-3	$1 \leq x < 3$	Eye Irrit. 2 H319
EC 260-252-4		
INDEX -		
REACH Reg. 01-2119976333-33-xxxx		
<b>ETHANOLAMINE</b>		
CAS 141-43-5	$1 \leq x < 1,5$	Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335
EC 205-483-3		STOT SE 3 H335: $\geq 5\%$
INDEX 603-030-00-8		LD50 Oral: 1515 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l
REACH Reg. 01-2119486455-28		
<b>Hexyl D-glycoside</b>		
CAS 54549-24-5	$1 \leq x < 1,5$	Eye Dam. 1 H318
EC 259-217-6		
INDEX -		
REACH Reg. 01-2119492545-29		

The full wording of hazard (H) phrases is given in section 16 of the sheet.

**SECTION 4. First aid measures****4.1. Description of first aid measures**

**EYES:** Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

**SKIN:** Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

**INGESTION:** Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

**INHALATION:** Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

#### **4.2. Most important symptoms and effects, both acute and delayed**

Specific information on symptoms and effects caused by the product are unknown.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Information not available

## **SECTION 5. Firefighting measures**

### **5.1. Extinguishing media**

#### **SUITABLE EXTINGUISHING EQUIPMENT**

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

#### **UNSUITABLE EXTINGUISHING EQUIPMENT**

None in particular.

### **5.2. Special hazards arising from the substance or mixture**

#### **HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE**

Do not breathe combustion products.

### **5.3. Advice for firefighters**

#### **GENERAL INFORMATION**

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

#### **SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS**

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

## **SECTION 6. Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site. Send away individuals who are not suitably equipped. Wear protective gloves / protective clothing / eye protection / face protection.

### **6.2. Environmental precautions**

Do not disperse in the environment.

### 6.3. Methods and material for containment and cleaning up

Use inert absorbent material to soak up leaked product. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

### 6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid bunching of electrostatic charges. Do not spray on flames or incandescent bodies. Vapours may catch fire and an explosion may occur; vapour accumulation is therefore to be avoided by leaving windows and doors open and ensuring good cross ventilation. Do not eat, drink or smoke during use. Do not breathe spray.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a place where adequate ventilation is ensured, away from direct sunlight at a temperature below 50°C / 122°F, away from any combustion sources.

Storage class TRGS 510 (Germany):  
10

### 7.3. Specific end use(s)

Information not available

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Regulatory References:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
PRT	Portugal	Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2021

### DIPROPYLENE GLYCOL MONOMETHYL ETHER

#### Threshold Limit Value

Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	310	50	310	50	

MAK	DEU	310	50	310	50	
VLA	ESP	308	50			SKIN
VLEP	FRA	308	50			SKIN
VLEP	ITA	308	50			SKIN
VLE	PRT	308	50			SKIN
WEL	GBR	308	50			SKIN
OEL	EU	308	50			SKIN

3-BUTOXY-2-PROPANOL

Predicted no-effect concentration - PNEC						
Normal value in fresh water				0,525	mg/l	
Normal value in marine water				0,0525	mg/l	
Normal value for fresh water sediment				2,36	mg/kg	
Normal value for marine water sediment				0,236	mg/kg	
Normal value for water, intermittent release				5,25	mg/l	
Normal value of STP microorganisms				10	mg/l	
Normal value for the terrestrial compartment				0,16	mg/kg	

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Chronic systemic	Effects on workers			
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				8,75 mg/kg bw/d				
Inhalation				33,8 mg/m3				270,5 mg/m3
Skin				16 mg/kg bw/d				44 mg/kg bw/d

3-methoxy-3-methyl-1-butanol

Health - Derived no-effect level - DNEL / DMEL								
Route of exposure	Effects on consumers			Chronic systemic	Effects on workers			
	Acute local	Acute systemic	Chronic local		Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				2,5 mg/kg bw/d				
Inhalation				4,4 mg/m3				18 mg/m3
Skin				3,1 mg/kg bw/d				6,25 mg/kg bw/d

ETHANOLAMINE

Threshold Limit Value						
Type	Country	TWA/8h		STEL/15min		Remarks / Observations
		mg/m3	ppm	mg/m3	ppm	
AGW	DEU	0,5	0,2	0,5	0,2	SKIN
MAK	DEU	0,51	0,2	0,51	0,2	
VLA	ESP	2,5	1	7,5	3	SKIN
VLEP	FRA	2,5	1	7,6	3	SKIN
VLEP	ITA	2,5	1	7,6	3	SKIN
VLE	PRT	2,5	1	7,6	3	SKIN
WEL	GBR	2,5	1	7,6	3	SKIN
OEL	EU	2,5	1	7,6	3	SKIN

TLV-ACGIH

7,5

3

15

6

## Predicted no-effect concentration - PNEC

Normal value in fresh water

0,085

mg/l

Normal value in marine water

0,0085

mg/l

Normal value for fresh water sediment

0,425

mg/kg

Normal value for marine water sediment

0,0425

mg/kg

Normal value for water, intermittent release

0,025

mg/l

Normal value of STP microorganisms

100

mg/l

Normal value for the terrestrial compartment

0,035

mg/kg

## Health - Derived no-effect level - DNEL / DMEL

Effects on  
consumersEffects on  
workers

Route of exposure

Acute local

Acute systemic

Chronic local

Chronic  
systemic

Acute local

Acute  
systemic

Chronic local

Chronic  
systemic

Oral

3,75 mg/kg/d

Inhalation

2 mg/m3

3,3 mg/m3

Skin

0,24 mg/kg/d

1 mg/kg/d

## Hexyl D-glycoside

## Predicted no-effect concentration - PNEC

Normal value in fresh water

0,1

mg/l

Normal value in marine water

0,01

mg/l

Normal value for fresh water sediment

0,41

mg/kg

Normal value for marine water sediment

0,041

mg/kg

Normal value of STP microorganisms

100

mg/l

Normal value for the terrestrial compartment

0,654

mg/kg

## Health - Derived no-effect level - DNEL / DMEL

Effects on  
consumersEffects on  
workers

Route of exposure

Acute local

Acute systemic

Chronic local

Chronic  
systemic

Acute local

Acute  
systemic

Chronic local

Chronic  
systemic

Oral

VND

35,7 mg/kg  
bw/d

Inhalation

VND

124 mg/m3

VND

420 mg/m3

Skin

VND

357000  
mg/kg bw/d

VND

595000  
mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

## 8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

**HAND PROTECTION**

If prolonged contact with the product is envisaged, it is advisable to protect the hands with penetration resistant work gloves (see standard EN 374).

**SKIN PROTECTION**

Personal protection of the skin is usually not necessary. Skin protection necessary for: splashes, skin contact, spray application

If necessary, wear work clothes with long sleeves and safety footwear for professional use of category I (see Directive 89/686 / EEC and EN ISO 20344).

Wash with soap and water after removing protective clothing.

**EYE PROTECTION**

Wear airtight protective goggles (see standard EN 166).

**RESPIRATORY PROTECTION**

Not necessary for normal use.

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

**ENVIRONMENTAL EXPOSURE CONTROLS**

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

**SECTION 9. Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Properties	Value	Information
Appearance	liquid	
Colour	pink	
Odour	characteristic	
Melting point / freezing point	Not applicable	
Initial boiling point	Not applicable	
Flammability	not flammable	
Lower explosive limit	Not applicable	
Upper explosive limit	Not applicable	
Flash point	> 60 °C	
Auto-ignition temperature	Not applicable	
pH	11	
Kinematic viscosity	Not available	
Solubility	soluble in water	
Partition coefficient: n-octanol/water	Not available	
Vapour pressure	Not available	
Density and/or relative density	1,004 kg/l	
Relative vapour density	Not available	
Particle characteristics	Not applicable	

**9.2. Other information**



**9.2.1. Information with regard to physical hazard classes**

Information not available

**9.2.2. Other safety characteristics**

VOC (Directive 2010/75/EU) 8,02 % - 80,50 g/litre

Explosive properties non-explosive

Oxidising properties non-oxidizing

**SECTION 10. Stability and reactivity****10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

**10.2. Chemical stability**

The product is stable in normal conditions of use and storage.

**10.3. Possibility of hazardous reactions**

No hazardous reactions are foreseeable in normal conditions of use and storage.

**10.4. Conditions to avoid**

None in particular. However, follow the usual precautions with regard to chemicals.

**10.5. Incompatible materials**

Informations not available.

**10.6. Hazardous decomposition products**

Informations not available.

**SECTION 11. Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture:	> 5 mg/l
ATE (Oral) of the mixture:	>2000 mg/kg
ATE (Dermal) of the mixture:	>2000 mg/kg

3-BUTOXY-2-PROPANOL

LD50 (Dermal):	> 2000 mg/kg Rat
LD50 (Oral):	3300 mg/kg Rat

3-methoxy-3-methyl-1-butanol

LD50 (Dermal):	> 2000 mg/kg Rat
LD50 (Oral):	4400 mg/kg Rat female

ETHANOLAMINE

LD50 (Dermal):	2504 mg/kg rat
STA (Dermal):	1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)
LD50 (Oral):	1515 mg/kg rat
LC50 (Inhalation vapours):	1,48 mg/l/4h rat
STA (Inhalation vapours):	11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

SKIN CORROSION / IRRITATION

Causes skin irritation

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

#### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

#### Target organs

Information not available

#### Route of exposure

Information not available

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### Target organs

Information not available

#### Route of exposure

Information not available

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

#### **11.2. Information on other hazards**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

**SECTION 12. Ecological information****12.1. Toxicity**

## ETHANOLAMINE

LC50 - for Fish

349 mg/l/96h cyprinus carpio

EC50 - for Crustacea

65 mg/l/48h daphnia magna

EC50 - for Algae / Aquatic Plants

2,5 mg/l/72h pseudokirchneriella subcapitata

## Hexyl D-glucosyde

LC50 - for Fish

&gt; 100 mg/l/96h Oncorhynchus mykiss (trout iridea)

EC50 - for Crustacea

&gt; 100 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants

&gt; 100 mg/l/72h Scenedesmus quadricauda

## 3-methoxy-3-methyl-1-butanol

LC50 - for Fish

&gt; 100 mg/l/96h Oryzias latipes

EC50 - for Crustacea

&gt; 1000 mg/l/48h Daphnia Magna

EC50 - for Algae / Aquatic Plants

&gt; 1000 mg/l/72h Raphidocelis subcapitata

**12.2. Persistence and degradability**DIPROPYLENE GLYCOL MONOMETHYL  
ETHER

Solubility in water

1000 - 10000 mg/l

Rapidly degradable

## 3-BUTOXY-2-PROPANOL

Solubility in water

52000 mg/l

Rapidly degradable

## ETHANOLAMINE

Solubility in water

1000 - 10000 mg/l

Rapidly degradable

C6 Alchilglicosidi

Rapidly degradable

3-methoxy-3-methyl-1-butanol

Rapidly degradable

**12.3. Bioaccumulative potential**

DIPROPYLENE GLYCOL MONOMETHYL  
ETHER

Partition coefficient: n-octanol/water 0,0043

## 3-BUTOXY-2-PROPANOL

Partition coefficient: n-octanol/water 1,2

## ETHANOLAMINE

Partition coefficient: n-octanol/water -2,3

## 3-methoxy-3-methyl-1-butanol

Partition coefficient: n-octanol/water 0,18

**12.4. Mobility in soil**

## ETHANOLAMINE

Partition coefficient: soil/water -0,5646

**12.5. Results of PBT and vPvB assessment**

On the basis of available data, the product does not contain any PBT or vPvB in percentage  $\geq$  than 0,1%.

**12.6. Endocrine disrupting properties**

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

**12.7. Other adverse effects**

Information not available

**SECTION 13. Disposal considerations****13.1. Waste treatment methods**

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

## CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

**SECTION 14. Transport information**

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

**14.1. UN number or ID number**

Not applicable

**14.2. UN proper shipping name**

Not applicable

**14.3. Transport hazard class(es)**

Not applicable

**14.4. Packing group**

Not applicable

**14.5. Environmental hazards**

Not applicable

**14.6. Special precautions for user**

Not applicable

**14.7. Maritime transport in bulk according to IMO instruments**

Information not relevant

**SECTION 15. Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006Product

Point

3 - 40

Contained substance

Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage  $\geq$  than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

**15.2. Chemical safety assessment**

A chemical safety assessment has been developed for the following substances in the mixture:  
3-Butoxy 2-Propanol, 3-methoxy-3-methyl-1-butanol, ethanolamine.

**SECTION 16. Other information**

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

<b>Flam. Liq. 3</b>	Flammable liquid, category 3
<b>Acute Tox. 4</b>	Acute toxicity, category 4
<b>Skin Corr. 1B</b>	Skin corrosion, category 1B
<b>Eye Dam. 1</b>	Serious eye damage, category 1
<b>Eye Irrit. 2</b>	Eye irritation, category 2
<b>Skin Irrit. 2</b>	Skin irritation, category 2
<b>STOT SE 3</b>	Specific target organ toxicity - single exposure, category 3



<b>H226</b>	Flammable liquid and vapour.
<b>H302</b>	Harmful if swallowed.
<b>H312</b>	Harmful in contact with skin.
<b>H332</b>	Harmful if inhaled.
<b>H314</b>	Causes severe skin burns and eye damage.
<b>H318</b>	Causes serious eye damage.
<b>H319</b>	Causes serious eye irritation.
<b>H315</b>	Causes skin irritation.
<b>H335</b>	May cause respiratory irritation.

## LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

## GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148

18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)  
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)  
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)  
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)  
- The Merck Index. - 10th Edition  
- Handling Chemical Safety  
- INRS - Fiche Toxicologique (toxicological sheet)  
- Patty - Industrial Hygiene and Toxicology  
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition  
- IFA GESTIS website  
- ECHA website  
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

**Note for users:**

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

**CALCULATION METHODS FOR CLASSIFICATION**

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

**Changes to previous review:**

The following sections were modified:

03 / 08 / 11.